	Application No.	Applicant(s)	
	10/574,452	FLISIKOWSKI ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Courtney Thomas	2882	_
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed: 12/17/07.			
2. The allowed claim(s) is/are <u>1-20</u> .			i
<ul> <li>3.</li></ul>			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	atent Application	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ☐ Examiner's Amendr		
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit	_	ent of Reasons for Allowance	
of Biological Material	9.  Other		

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1-20 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:
- 3. As per claim 1 and dependent claims 2-9, the examiner found no reference in the prior art that disclosed or made obvious a method comprising the steps of: providing heat to a soldering material so that portions of the soldering material flow out of grooves and between a carrier element and window foil due to capillary action and allowing the soldering material to cool to connect the window foil to the carrier element wherein an opening is substantially free of the soldering material and including all limitations recited in independent claim 1.
- 4. As per claim 10 and dependent claims 18-20, the examiner found no reference in the prior art that disclosed or made obvious a window comprising: a window foil connected to a surface of a carrier element by soldering material, the surface inclined with a decreasing height toward an edge of the carrier element opposite an opening and wherein the opening is substantially free of soldering material and including all limitations recited in independent claim 10.
- 5. As per claim 11 and dependent claims 12-17, the examiner found no reference in the prior art that disclosed or made obvious an X-ray source comprising: a window, having a window foil connected on a surface of a carrier element by soldering material, wherein the surface has at least one groove formed therein surrounding an opening and having a portion of the soldering material therein and wherein the opening is substantially free of soldering material and including all limitations recited in independent claim 11.

Application/Control Number: 10/574,452

Art Unit: 2882

6. Any comments considered necessary by applicant must be submitted no later than the

Page 3

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

**Conclusion** 

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Gourtney Thomas whose telephone number is (571) 272-2496.

The examiner can normally be reached on M - F (9 am - 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ed Glick can be reached on (571) 272 2490. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Courtney Thomas Primary Examiner

Courtney Thomas

Art Unit 2882

ŧ.